

ICE CLUB - Ice Thè Peach - Flavored Concentrated - ICE CLUB - Ice Thè Peach

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: ICE CLUB - Ice Thè Peach
Product name: Flavored Concentrated - ICE CLUB - Ice Thè Peach

Flavored concentrate - Ice Club - Ice Tè Peach

This security data sheet is valid for the list of commercial names and product codes shown in the following table: list of commercial names and product codes:

Ice tea peach - IT02.S60 - Pla00791

It does not contain nanoform or substances that include nanoform

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Concentrated.

Relevant identified uses: Dilute before use.

Irrelevant identified uses: Not a food. Do not swallow. Do not use as it is. All those not expressly indicated as relevant.

1.3. Details of the supplier of the safety data sheet

Name: L ERBORISTERIA SRL
Full address: Via Enrico Forlanini 10
District and Country: 00012 Guidonia Italia (Rm)
Tel.: +39 3934560139

e-mail address of the competent person responsible for the Safety Data Sheet: info@latabaccheria.net

Supplier: Orlando D'Alessandro

1.4. Emergency telephone number

For urgent inquiries refer to: For urgent information contact the Poison Center of Rome +39 06 3054343 (CAV Policlinico Gemelli - Rome)

Telephone numbers of the main Italian Poison Centers (active 24/24 hours)
Poison Center of Pavia +39 0382 24444 (CAV IRCCS Fondazione Maugeri Pavia)
Poison Center of Milan +39 02 66101029 (CAV Niguarda Ca' Granda Milano)
Poison center of Bergamo +39 800 883300 (CAV Ospedali Riuniti - Bergamo)
Poison center of Florence + 39 055 7947819 (CAV Hospital Careggi - Florence)
Poison center of Rome +39 06 49978000 (CAV Policlinico Umberto I - Rome)

Marco Maranocav "Osp. Pediatric Child Jesus" Emergency and Acceptance Dearomapiazza Sant'Onofrio, 40016506 68593726

Anna Leporeaz. Osp. Univ. Foggiafoggia.le Luigi Pinto, 171122800183459

Romolo Villaniaz. Osp. "A. Cardarelli" Napolivia A. Cardarelli, 980131081-5453333

M. Caterina Grassicav Polyclinic "Umberto I" Romav.le del Policlinico, 1551610-49978000

Alessandro Barellicav Policlinico "A. Gemelli" Romalargo Agostino Gemelli, 816806-3054343

Francesco Gambassiaz. Osp. "Careggi" U.O. Medicaphirenzelargo Brambilla toxicology, 350134055-7947819

Carlo Locatelliv National Center for Toxicological Information Salvatore Salvatore Maugeri, 10271000382-24444

Franca Davanzoosp. Niguarda Ca 'Grandamilapiapiazza Maggiore Hospital, 32016202-661029

BACIS GIUSEPPEAZA CASTICA HOSPITALER PAPE GIOVANNI XXIBERGAMOPAZZAZZA WHO, 124127800883300

Giorgio Ricciara Integrated Hospital Veronaveronapiazzale Aristide Stefani, 137126800011858

L ERBORISTERIA SRL		Revision nr.2 Dated 17/04/2025 Printed on 17/04/2025 Page n. 2 / 12 Replaced revision:1 (Dated 09/10/2024)	EN
ICE CLUB - Ice Thè Peach - Flavored Concentrated - ICE CLUB - Ice Thè Peach			
SECTION 2. Hazards identification			
2.1. Classification of the substance or mixture			
The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2020/878.			
Hazard classification and indication: --			
2.2. Label elements			
Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.			
Hazard pictograms: --			
Signal words: --			
Hazard statements:			
EUH210		Safety data sheet available on request.	
Precautionary statements:			
P103		Read label before use.	
P501		Dispose of product / container in accordance with national regulations.	
P102		Keep out of reach of children.	
P401		Store between 1°C and 40°C away from sunlight.	
P301+P312		IF SWALLOWED: Call a POISON CENTER or a doctor if you feel unwell.	
2.3. Other hazards			
On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.			
The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.			
SECTION 3. Composition/information on ingredients			
3.1. Substances			
Information not relevant			
3.2. Mixtures			
Contains:			
Identification		x = Conc. %	Classification (EC) 1272/2008 (CLP)
Propylene Glycol USP-EP-E1520			
INDEX		90 ≤ x < 94	
EC		200-338-0	
CAS		57-55-6	
REACH Reg.		01-2119456809-23	
2-Isopropyl-N,2,3-trimethylbutyramide			
INDEX		5 ≤ x < 6	Acute Tox. 4 H302
EC		256-974-4	ATE Oral: 500 mg/kg
CAS		51115-67-4	
N-BUTYL ACETATE			
INDEX		607-025-00-1	0,1 ≤ x < 0,15
EC		204-658-1	Flam. Liq. 3 H226, STOT SE 3 H336, EUH066
CAS		123-86-4	
The full wording of hazard (H) phrases is given in section 16 of the sheet.			
EPY 11.8.2 - SDS 1004.14			

ICE CLUB - Ice Thè Peach - Flavored Concentrated - ICE CLUB - Ice Thè Peach

SECTION 4. First aid measures**4.1. Description of first aid measures**

No effects requiring implementation of special first aid measures are expected. The following information represents practical indications of correct behaviour in the event of contact with a chemical product, even if not hazardous.

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

IF SWALLOWED: Call a POISON CENTER or a doctor if you feel unwell.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

6.4. Reference to other sections

SECTION 7. Handling and storage

7.1. Precautions for safe handling

7.2. Conditions for safe storage, including any incompatibilities

7.3. Specific end use(s)

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

DEU	Deutschland	Forschungsgemeinschaft MAK- und BAT-Werte-Liste 2022 Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe Mitteilung 58
ESP	España	Límites de exposición profesional para agentes químicos en España 2023
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en FranceDécret n° 2021-1849 du 28 décembre 2021
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2023

Propylene Glycol USP-EP-E1520

Predicted no-effect concentration - PNEC

Normal value in fresh water	260	mg/l
Normal value in marine water	26	mg/l
Normal value for fresh water sediment	572	mg/kg
Normal value for marine water sediment	57,2	mg/kg
Normal value for water, intermittent release	183	mg/l
Normal value of STP microorganisms	20000	mg/l
Normal value for the terrestrial compartment	50	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation			10 mg/m3	50 mg/m3			10 mg/m3	168 mg/m3

ICE CLUB - Ice Thè Peach - Flavored Concentrated - ICE CLUB - Ice Thè Peach

SECTION 8. Exposure controls/personal protection ... / >>

N-BUTYL ACETATE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
AGW	DEU	300	62	600	124	
MAK	DEU	480	100	960	200	
VLA	ESP	241	50	723	150	
VLEP	FRA	241	50	723	150	
VLEP	ITA	241	50	723	150	
WEL	GBR	724	150	966	200	
OEL	EU	241	50	723	150	
TLV-ACGIH			50		150	

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.
VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard
; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

Protect your hands with gloves of the following type:

Material: Nitrile rubber (NBR)

The indicated material is a possible choice; other materials can be adequate, depending on the specifications indicated by the manufacturer.

Thickness: 0,7 mm

Glove thickness must be selected based on the minimum required breakthrough time.

Breakthrough time: 30 min

Glove resistance depends on various elements, such as temperature and other environmental factors.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	liquid	
Colour	transparent	
Odour	aromatic	
Melting point / freezing point	-3,2 °C	Substance:Propylene Glycol USP-EP-E1520
Initial boiling point	126,2 °C	
Boiling range	126,2 °C	Substance:N-BUTYL ACETATE
Flammability	flammable liquid	Method:EU Method A.9 (Flash-Point) Concentration: 100 % Substance:N-BUTYL ACETATE
Lower explosive limit	2,6 % (p/p)	Substance:Propylene Glycol USP-EP-E1520
Upper explosive limit	12,5 % (p/p)	Substance:Propylene Glycol USP-EP-E1520
Flash point	104 °C	Substance:Propylene Glycol USP-EP-E1520 Flash point: 101 °C

L ERBORISTERIA SRL			Revision nr.2 Dated 17/04/2025 Printed on 17/04/2025 Page n. 6 / 12 Replaced revision:1 (Dated 09/10/2024) EN
ICE CLUB - Ice Thè Peach - Flavored Concentrated - ICE CLUB - Ice Thè Peach			
SECTION 9. Physical and chemical properties ... / >>			
Auto-ignition temperature	>	370 °C	Substance:Propylene Glycol USP-EP-E1520
Decomposition temperature		not available	
pH		7	
Kinematic viscosity		43 CST	
Solubility		partially soluble in water	
Partition coefficient: n-octanol/water		not available	
Vapour pressure		11.2 - 16 hPa	Substance:N-BUTYL ACETATE
			Vapour pressure: 15 mmHg
Density and/or relative density		1,02-1,05	
Relative vapour density		not available	
Particle characteristics		not applicable	
9.2. Other information			
9.2.1. Information with regard to physical hazard classes			
Information not available			
9.2.2. Other safety characteristics			
Information not available			
SECTION 10. Stability and reactivity			
10.1. Reactivity			
There are no particular risks of reaction with other substances in normal conditions of use.			
Propylene Glycol USP-EP-E1520			
Hygroscopic.Stable in normal conditions of use and storage.			
At high temperatures it tends to oxidate to form propionaldehyde and lactic and acetic acid.			
N-BUTYL ACETATE			
Decomposes on contact with: water.			
10.2. Chemical stability			
The product is stable in normal conditions of use and storage.			
Propylene Glycol USP-EP-E1520			
Maintaining a temperature of less than 40 °C.			
Stable in normal conditions of use and storage.			
10.3. Possibility of hazardous reactions			
No hazardous reactions are foreseeable in normal conditions of use and storage.			
Propylene Glycol USP-EP-E1520			
May react dangerously with: acid chlorides,acid anhydrides,oxidising agents.			
N-BUTYL ACETATE			
Risk of explosion on contact with: strong oxidising agents.May react dangerously with: alkaline hydroxides,potassium tert-butoxide.Forms explosive mixtures with: air.			
10.4. Conditions to avoid			
None in particular. However the usual precautions used for chemical products should be respected.			
N-BUTYL ACETATE			
Avoid exposure to: moisture,sources of heat,naked flames.			
10.5. Incompatible materials			
N-BUTYL ACETATE			
Incompatible with: water,nitrates,strong oxidants,acids,alkalis,zinc.			
10.6. Hazardous decomposition products			
Propylene Glycol USP-EP-E1520			
May develop: carbon oxides.			

ICE CLUB - Ice Thè Peach - Flavored Concentrated - ICE CLUB - Ice Thè Peach

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

N-BUTYL ACETATE

WORKERS: inhalation; contact with the skin.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

N-BUTYL ACETATE

In humans, the substance's vapours cause irritation of the eyes and nose. In the event of repeated exposure, skin irritation, dermatitis (dryness and cracking of the skin) and keratitis appear.

Interactive effects

N-BUTYL ACETATE

A case of acute intoxication been reported involving a 33 year old worker while cleaning a tank with a preparation containing xylenes, butyl acetate and ethylene glycol acetate. The person had irritation of the conjunctiva and upper respiratory tract, drowsiness and motor coordination disorders, which disappeared within 5 hours. The symptoms are attributed to poisoning by mixed xylenes and butyl acetate, with a possible synergistic effect responsible for the neurological effects. Cases of vacuolar keratitis are reported in workers exposed to a mixture of butyl acetate and isobutanol vapours, but with uncertainty concerning the responsibility of a particular solvent (INRC, 2011).

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

Not classified (no significant component)

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

Not classified (no significant component)

2-Isopropyl-N,2,3-trimethylbutyramide

ATE (Oral):

500 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

Propylene Glycol USP-EP-E1520

LD50 (Dermal):

> 2000 mg/kg ratto

LD50 (Oral):

22000 mg/kg ratto

N-BUTYL ACETATE

LD50 (Dermal):

> 5000 mg/kg Rabbit

LD50 (Oral):

> 6400 mg/kg Rat

LC50 (Inhalation vapours):

21,1 mg/l/4h Rat

Propylene Glycol USP-EP-E1520

Tossicità dopo assunzione ripetuta (subacuta, subcronica, cronica)

Tossicità orale subacuta

Parametro : NOAEL(C) (PROPANE-1,2-DIOL ; No. CAS : 57-55-6)

Via di esposizione : Per via orale

Specie : Ratto (maschio)

Dose efficace : 1700 mg/kg

Tossicità inalativa subacuta

Parametro : NOAEC (PROPANE-1,2-DIOL ; No. CAS : 57-55-6)

Via di esposizione : Inalazione

Specie : Ratto (maschio)

Dose efficace : 2200 mg/m3.

SKIN CORROSION / IRRITATION

ICE CLUB - Ice Thè Peach - Flavored Concentrated - ICE CLUB - Ice Thè Peach

SECTION 11. Toxicological information ... / >>

Does not meet the classification criteria for this hazard class

Propylene Glycol USP-EP-E1520
Potere irritante: non irritante.

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

Propylene Glycol USP-EP-E1520
Potere irritante: non irritante.

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

Respiratory sensitization

Propylene Glycol USP-EP-E1520
Non si conoscono effetti sensibilizzanti.

Skin sensitization

Propylene Glycol USP-EP-E1520
Non si conoscono effetti sensibilizzanti.

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

Propylene Glycol USP-EP-E1520
Cancerogenicità
Parametro : NOAEL(C) (PROPANE-1,2-DIOL ; No. CAS : 57-55-6)
Via di esposizione : Ratto (maschio)
Dose efficace : 1700 mg/kg.

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on development of the offspring

Propylene Glycol USP-EP-E1520
Possibili effetti nocivi sulla tossicità dello sviluppo
Parametro : NOAEL (Sviluppo fetale) (PROPANE-1,2-DIOL ; No. CAS : 57-55-6)
Via di esposizione : Topo
Dose efficace : 10400 mg/kg bw/day.

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

ICE CLUB - Ice Thè Peach - Flavored Concentrated - ICE CLUB - Ice Thè Peach

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Propylene Glycol USP-EP-E1520	
LC50 - for Fish	40613 mg/l/96h Oncorhynchus mykiss
EC50 - for Crustacea	18340 mg/l/48h Ceriodaphnia dubia
EC50 - for Algae / Aquatic Plants	19000 mg/l/48h Skeletonema costatum

12.2. Persistence and degradability

Propylene Glycol USP-EP-E1520	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

N-BUTYL ACETATE	
Solubility in water	1000 - 10000 mg/l

12.3. Bioaccumulative potential

Propylene Glycol USP-EP-E1520	
Partition coefficient: n-octanol/water	-1,07
BCF	0,09

N-BUTYL ACETATE	
Partition coefficient: n-octanol/water	2,3
BCF	15,3

12.4. Mobility in soil

Propylene Glycol USP-EP-E1520	
Partition coefficient: soil/water	0,46
N-BUTYL ACETATE	
Partition coefficient: soil/water	< 3

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.
CONTAMINATED PACKAGING
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

ICE CLUB - Ice Thè Peach - Flavored Concentrated - ICE CLUB - Ice Thè Peach

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU:

None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 40

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

ICE CLUB - Ice Thè Peach - Flavored Concentrated - ICE CLUB - Ice Thè Peach

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3	Flammable liquid, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT SE 3	Specific target organ toxicity - single exposure, category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH210	Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)

ICE CLUB - Ice Thè Peach - Flavored Concentrated - ICE CLUB - Ice Thè Peach

SECTION 16. Other information ... / >>

- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- 23. Delegated Regulation (UE) 2023/707
- 24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
- 25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
- 26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Additional Information:

- Sale prohibited to minors under 18 years.

Changes to previous review:

The following sections were modified:

01 / 03 / 08 / 09 / 12 / 13.